
INSTALLATION AND OWNER'S MANUAL Z2225 Replacement Windscreen for K1200 R

Dark Tint Quantum Coated Lexan® Polycarbonate

Attention



Special notes and cautionary measures which can prevent damage to the accessory or motorcvcle.



TOOLS REQUIRED:

lechn

Allen Wrench, 3mm Box End Wrench, 10mm

PARTS LIST


Description		<u>Qty.</u>
Windshield, Quantum Coa	ated Lexan® polycarbon	ate 1
25		
Bracket, Left	37-378302-000	1
Bracket, Right	37-378303-000	1
30		
Back Plate	37-378304-000	2
Button Screw M5 x 20	51-516220-000	4
Button Screw M6 x 20	51-516323-000	4
Nut, M5	42-423050-000	4
Wellnut, M6	42-472001-000	4
Gasket, Windshield	75-762420-000	2
Gasket, Bracket, Outer	75-762421-000	2
Gasket, Bracket, Inner	75-762422-000	2
	Windshield, Quantum Coa 25 Bracket, Left Bracket, Right 30 Back Plate Button Screw M5 x 20 Button Screw M6 x 20 Nut, M5 Wellnut, M6 Gasket, Windshield Gasket, Bracket, Outer	Windshield, Quantum Coated Lexan® polycarbor 25 Bracket, Left 37-378302-000 Bracket, Right 37-378303-000 30 Back Plate 37-378304-000 Button Screw M5 x 20 51-516220-000 Button Screw M6 x 20 51-516323-000 Nut, M5 42-423050-000 Wellnut, M6 42-472001-000 Gasket, Windshield 75-762420-000

INSTALLATION



Right and left side of motorcycle is determined while sitting on the bike.

1. Remove the stock windscreen from the OEM mount. Keep mount bracket in place.



2. Install the right side bracket to motorcycle as shown in figure 1. (3mm Allen Wrench, 10mm Box End Wrench)

3. Repeat on left side of motorcycle.

13 1 1

4. Install Windshield to Brackets as shown in figure 2. (3mm Allen Wrench)

5. Tighten the screws firmly.

Note:




Tips for facilitation of operation, control and adjustment, as well as maintenance work.

MAINTENANCE

Cleaning: Wash with a clean soft cloth, plenty of warm water and, if necessary, a non-abrasive soap such as dishwashing liquid. Flannel or soft chamois make good cleaning cloths.

Paint, glue residue removal: Moisten cotton with a small amount of Naphtha or Turpentine followed by a wash as above. Do not clean polycarbonate in hot sun or high temperatures. Do not clean the screen with glass cleaners. Do not use rain protective products on the screen. The solvent action of the alcohol in these products will destroy the screen. Do not allow brake fluid, alcohol, or strong solvents to contact the screen.



-1709 ZTechnik PO Box Maywood, IL 60153-0158 USA 708-343-0400 / Fax: 708-343-0625 / www.Z Technik.com / e mail: info@Z Technik.com ©2006 National Cycle, Inc. Page 1 of 1

10-119740-000 04/06